



## Certificate of Compliance & Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER  
For Transportation Emergencies ONLY: Call Chem-Tel  
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924  
Outside North America: Call Collect 813-248-0585

Date Prepared  
Rev: 6 July 2007  
Replaces: 14 May 2007

---

### Certificate of Compliance Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: [Bob Ross® Soft Oil Colors - CL Caution Labels \(Other Soft Colors are AP Non-Toxic\)](#)

(Note: See additional MSDS for those Bob Ross® Soft Oil Colors Oil Colors bearing the AP Non-Toxic Seal of the Art & Creative Materials Institute.)

1.2 ITEM NUMBER AND SIZES: [Colors listed in Section 2 below - 37ml tubes](#)

1.3 CPSC SAFETY REGULATION CITATION

[This adult product is certified to comply with the Consumer Product Safety Act \(CPSA\), the Federal Hazardous Substances Act, \(FHSA\) and its Labeling for Hazardous Art Materials Amendment, \(LHAMA.\)](#)

1.4 MANUFACTURER IDENTIFICATION:

[Martin/F. Weber Co.](#)  
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)  
[Phone: 215-677-5600 • Fax: 215-677-3336](#)  
[Email: compliance@weberart.com • Web: www.weberart.com](#)

1.5 CONTACT INFORMATION:

[Regulatory & Compliance Manager](#)  
[Martin/F. Weber Co.](#)  
[2727 Southampton Road • Philadelphia, PA 19154 USA](#)  
[Phone: 215-677-5600 • Fax: 215-677-3336](#)  
[Email: compliance@weberart.com](#)

1.6 DATE & PLACE OF MANUFACTURE:

[For purposes of the Consumer Product Safety Improvement Act, \(CPSIA\), this product is deemed to be manufactured as of the date of shipment, at the above address.](#)

1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):

[Date: 29 December 2005](#)  
[Place: Duke University Medical Center](#)  
[2200 West Main Street, Suite 400](#)  
[Durham NC 27705](#)

1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS

[N/A](#)

---

MSDS Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: Bob Ross® Soft Oil Colors - CL Caution Labels (Other Soft Colors are AP Non-Toxic)

(Note: See additional MSDS for those Bob Ross® Soft Oil Colors Oil Colors bearing the AP Non-Toxic Seal of the Art & Creative Materials Institute.)

1.2 ITEM NUMBER AND SIZES: Colors listed in Section 2 below - 37ml tubes

1.3 COMPANY IDENTIFICATION:

Martin/F. Weber Co.  
2727 Southampton Road • Philadelphia, PA 19154 USA  
Phone: 215-677-5600 • Fax: 215-677-3336  
Email: [compliance@weberart.com](mailto:compliance@weberart.com) • Web: [www.weberart.com](http://www.weberart.com)

---

SECTION 2 – COMPOSTION INFORMATION

Shell Pkg	Indiv Pkg	Color
R6701	MR6701	ROSS SOFT OC CADMIUM RED LIGHT 37ML
R6702	MR6702	ROSS SOFT OC CADMIUM ORANGE 37ML
R6703	MR6703	ROSS SOFT OC CADMIUM YELLOW LIGHT 37ML
R6705	MR6705	ROSS SOFT OC CADMIUM RED MEDIUM 37ML

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
Cd – Cadmium Pigment	1306-23-6	74

---

SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

**Appearance:** Colored Paste

**Physical State:** Paste

**Odor:** Characteristic Linseed Oil or Safflower Oil

**Hazards of Product:** DO NOT SPRAY APPLY CADMIUM CONTAINING COLORS – CANCER HAZARD BY INHALATION.

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: n/a

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: CHRONIC INHALATION HAZARD - Avoid spraying or aerosolizing this product. If sprayed, use a protective mask, which provides clean filtered air to the wearer and will remove all cadmium particulates from the breathed air.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

3. 3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

---

## SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: Move to fresh air. Get prompt medical attention.

4.2 EYE CONTACT: Wash eyes with tap water for five to ten (5 – 10) minutes. If irritation persists, seek prompt medical attention.

4.3 SKIN CONTACT: Wash affected area with soap and water for five to ten (5 – 10) minutes. If irritation persists, seek prompt medical attention.

4.4 SWALLOWING: If swallowed, get prompt medical attention.

4.2 NOTES TO PHYSICIAN: n/a

---

## SECTION 5 - FIRE FIGHTING MEASURES

### 5.1 FLAMMABLE PROPERTIES

<b>Identification Number:</b>	n/a
<b>Flash Point – Closed Cup:</b>	> 350° F (177° C)
<b>Flash Point – Open Cup:</b>	n/a
<b>Auto-Ignition Temperature:</b>	n/a
<b>Flammable Limits in Air:</b>	n/a

5.2 EXTINGUISHING MEDIA Foam, CO<sub>2</sub>, Dry Chemical (Class B) or Halon®, Water Fog

5.3 EXTINGUISHING MEDIA TO AVOID n/a

5.4 SPECIAL FIRE FIGHTING PROCEDURES n/a

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS n/a

5.7 HAZARDOUS COMBUSTION PRODUCTS Under fire conditions, this product may release CO, CO<sub>2</sub> and other decomposition products of undetermined hazard.

---

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up paint and paint mixed with solvents using rags or paper towels. Place in airtight containers for disposal.

---

## SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: After use, wash hands before eating, drinking or smoking

7.2 STORAGE: n/a

---

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS: n/a

8.2 PERSONAL PROTECTION:

**Respiratory Protection:** Do Not Spray Apply Colors that contain Cadmium Pigment

**Ventilation:** n/a

**Eye Protection:** n/a

**Protective Gloves:** Rubber or vinyl gloves, or a barrier cream are useful for general cleanliness

**Other Protective Equipment:** n/a

8.3 ENGINEERING CONTROLS: n/a

---

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Paste

**Appearance:** Viscous Colored Paste

**pH:** <7

**Solubility in Water (by weight):** Negligible

**Odor:** Characteristic Linseed Oil or Safflower Oil

**Flash Point – Closed Cup:** >350°F (177°C)

**Flash Point – Open Cup:** n/a

**Percent Volatiles:** Non-Volatile

**Boiling Point (760mm Hg):** n/a

**Freezing Point:** n/a

**Specific Gravity (H<sub>2</sub>O = 1):** >1

**Vapor Pressure at 20°C:** n/a

**Vapor Density (air = 1):** n/a

**Evaporation Rate** n/a

**(Butyl Acetate = 1):**

**Melting Point:** n/a

---

## Section 10 – STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY Stable under ordinary conditions of use and storage

**Conditions to Avoid** n/a

**Incompatible Materials** n/a

10.2 HAZARDOUS POLYMERIZATION: Will not occur

10.3 INHIBITORS / STABILIZERS n/a

---

## SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: n/a

CHRONIC TOXICITY: Cadmium pigments present a risk of cancer by inhalation. Cobalt Pigments present a risk of cancer. Copper pigments are harmful if swallowed.

---

## SECTION 12 – ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATE	n/a
12.2 ECOTOXICITY	n/a
12.3 FURTHER INFORMATION	n/a

---

## SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 WASTE DISPOSAL METHOD	Dispose of in accordance with local, state and federal regulations
13.2 DISPOSAL CONSIDERATIONS	n/a

---

## SECTION 14 – TRANSPORTATION INFORMATION

U.S. D.O.T	n/a.
------------	------

---

## SECTION 15 – REGULATORY INFORMATION

15.1 FEDERAL / NATIONAL	n/a
15.2 STATE / LOCAL	California Proposition 65 Labeling: WARNING, This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

---

## SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.