

DVPT-DA VINCI PAINT CO. TEL: 1-949-859-4766

Feb 03, 05 10:23 No. 001 P. 02

02-07-05



DA VINCI PAINT Co. Inc.
MANUFACTURERS OF ARTISTS' COLORS
11 GOODYEAR ST., IRVINE, CALIFORNIA 92618 - U.S.A.
(800) 55-DVP-55 • (949) 859-4890 • FAX (949) 859-4766
www.davincipaints.com E-mail: DVP@davincipaints.com



01533-1214
-1225

MATERIAL SAFETY DATA SHEET
Revised date: January 3, 2005

Page 1 of 2

PRODUCT: DA VINCI "FIRST QUALITY" artists' "LINSEED OIL"
Catalog #: 1137 (120 ml Bottle) - 1137L (237 ml Bottle) - 1137XL (948 ml bottle)

SECTION 1: COMPOSITION

Pure refined linseed oil for artists' use.
CAS NUMBER: 8001-26-01

SECTION 2: HAZARDS IDENTIFICATION

Emergency overview: An amber liquid with mild odor.
COMBUSTION HAZARD: WASTE SOAKED WITH LINSEED OIL MAY SPONTANEOUSLY CATCH FIRE IF IMPROPERLY DISCARDED.

EFFECTS OF OVEREXPOSURE:

EYES: Contact may cause mild eye irritation.
SKIN: Contact may cause mild skin irritation.
INHALATION: (Breathing): Expected to have a low degree of toxicity by inhalation.
INGESTION: (Swallowing): No harmful effects reported.
ASPIRATION HAZARD:
This material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.
CANCER: No data available.

V-1183

SECTION 3: FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:
EYE: If irritation or redness develops, move away from exposure and into fresh air. Flush eyes with clean water. If symptoms persist, seek medical attention.
SKIN: Remove contaminated clothing and cleanse affected area by washing with soap and water. If irritation develops or persists, seek medical attention.
INHALATION: (Breathing): If respiratory symptoms develop, move away from source of exposure and into fresh air. If symptoms persist, seek medical attention.
INGESTION: (Swallowing): Aspiration hazard; Do not induce vomiting. This material can enter lungs during swallowing or vomiting and cause lung inflammation and damage. Seek medical attention.

SECTION 4: FIRE FIGHTING MEASURES

FLASH POINT: >500 DEG. F. Cleveland open cup method.
EXTINGUISHING MEDIA: Use foam, carbon dioxide or chemical fire fighting apparatus.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep containers tightly closed, isolate from heat, sparks, and open flame.

DVP-DA VINCI PAINT CO. TEL: 1-949-859-4766

Feb 03, 05 10:23 No.001 P.03



DA VINCI PAINT Co. Inc.
 MANUFACTURERS OF ARTISTS' COLORS
 11 GOODYEAR ST., IRVINE, CALIFORNIA 92618 - U.S.A.
 (800) 55-DVP-55 • (949) 859-4890 • FAX (949) 859-4766
 www.davincipaints.com E-mail: DVP@davincipaints.com

**MATERIAL SAFETY DATA SHEET**

Page 2 of 2

PRODUCT: DA VINCI "FIRST QUALITY" artists' "LINSEED OIL"
 Catalog Number: 1137 (120 ml. Bottle) – 1137L (237 ml. Bottle) – 1137XL (948 ml. bottle)

DANGER: RAGS, STEEL WOOL OR WASTE SOAKED WITH LINSEED OIL MAY EXPONTANEOUSLY CATCH FIRE IF IMPROPERLY DISCARDED. IMMEDIATELY AFTER USE, PLACE RAGS, OR WASTE IN A SEALED WATER FILLED CONTAINER.

SPECIAL FIRE FIGHTING PROCEDURES:

The use of self-contained breathing apparatus is recommended. Water spray may be used for cooling containers to prevent explosion under extreme heat. Avoid spreading burning liquid with water used for cooling.

SECTION 5: HANDLING AND STORAGE

Protect container against physical damage and leakage. Keep containers tightly closed.

SECTION 6: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT	>300 Deg. F.
SPECIFIC GRAVITY	0.926-0.930
VAPOR DENSITY	Heavier than air
APPEARANCE AND ODOR	Amber liquid – mild odor
SOLUBILITY IN WATER	Negligible, less than 5%

SECTION 7: STABILITY AND REACTIVITY

STABILITY: Spontaneous combustion may occur. See FIRE FIGHTING MEASURES

CONDITIONS TO AVOID: Excessive heat, sparks or open flames.

INCOMPATIBILITY (Material to avoid): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may yield carbon dioxide and/or carbon monoxide. Aldehydes (including acrolein) may be produced from atmospheric oxidation and/or thermal degradation under severe pressure.

SECTION 8: TOXICOLOGICAL INFORMATION

No definitive information available on carcinogenicity, mutagenicity, target organs or developmental toxicity.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US AND IS BELIEVED TO BE TRUE AND ACCURATE. NO WARRANTY EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS DATA, THE HAZARDOUS CONNECTED WITH THE USE OF THE MATERIAL, OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, IS MADE. DA VINCI PAINT CO. ASSUMES NO RESPONSIBILITY FOR DAMAGE OR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

DVP-DA VINCI PAINT CO. TEL:1-949-859-4766

Mar 25,04 17:24 No.004 P.02

3-31-04 ✓

01533-1304



DA VINCI PAINT Co. Inc.

MANUFACTURERS OF ARTISTS' COLORS
 11 GOODYEAR ST., IRVINE, CALIFORNIA 92618 - U.S.A.
 (800) 55-DVP-55 • (949) 859-4890 • FAX (949) 859-4766
 www.davincipaints.com E-mail: DVP@davincipaints.com



MATERIAL SAFETY DATA SHEET

Revised date: Feb. 2, 2004

PRODUCT : DA VINCI "FIRST QUALITY" artists' **"SAFFLOWER OIL"**

Catalog Number: 1138 - 120 ML. (4 Fl.Oz.) bottle
 1138XL - 948 ML. (32 Fl.Oz.) bottle

1) COMPONENTS:

Pure refined Safflower Oil for industrial use.
 Chemical Characteristics: Triglyceride
 CAS# 8001-23-8

2) HAZARDOUS INGREDIENTS: None.

A non hazardous material as listed under current department of labor definitions.

3) PHYSICAL DATA:

Appearance: Clear and brilliant oily liquid
 Boiling Point: Non applicable
 Solubility in water: Immiscible in water
 Specific Gravity: (Water = 1): 0.912

4) FIRE AND EXPLOSION HAZARD DATA:

COMBUSTIBLE, DANGER: rags with Linseed or Safflower oil may start a fire by **Auto combustion**. Caution should be used by promptly disposing of oily rags, etc. inside a container filled with water, to avoid the possibility of spontaneous combustion.

Flash Point: 640 degrees Fahrenheit.

Fire Fighting: Extinguishing Media: Standard for oil type fires.

5) HEALTH HAZARD DATA:

Health Effects: Product is non-toxic but should not considered to be an edible product because it has gone through a refining chemical process for industrial use.

Carcinogenicity: This product is not listed as a carcinogen.

6) REACTIVITY DATA: Stable

7) SPECIAL PROTECTION INFORMATION: None required.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US AND IS BELIEVED TO BE TRUE AND ACCURATE.
 NO WARRANTY EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS DATA, THE HAZARDOUS CONNECTED WITH THE USE OF THE MATERIAL, OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, IS MADE.
 DA VINCI PAINT CO. ASSUMES NO RESPONSIBILITY FOR DAMAGE OR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

V-1183

01533-1514



DA VINCI PAINT CO.

Page 1 of 1

Material Safety Data Sheet

Revised date: September 2014

PRODUCT: DA VINCI "Oil Gel"
Health labeling conforms to ASTM D-4236

1. Components

Alkyd resin, safflower oil and additives

2. Hazardous Components

Contains minimal amount of drier compounds that contain less than .05% mineral spirits

3. First Aid Measures

EYE CONTACT: Flush eyes with water for 5 minutes. Material may cause a mild reversible eye irritation. If eye irritation persists, seek medical attention.**SKIN CONTACT:** May cause minor skin irritation wash with mild soap and water. Avoid prolonged contact with skin.**INGESTION:** If swallowed do not induce vomiting. Seek medical attention.

4. Fire and Explosion Hazard Data

Flash Point: Alkyd Resin >250 degrees F. Setaflash

Safflower Oil: 640 degrees F. Open cup method

Extinguishing Media: Use foam, carbon dioxide or chemical fire fighting apparatus.**Special Fire Extinguishing Procedures:** The use of self-contained breathing apparatus is recommended for fire fighters.

5. Reactivity Data:

Stability: Stable**Conditions to Avoid:** Excessive heat, sparks or open flames. Dispose of oily rags/material inside a container with water to reduce the possibility of spontaneous combustion.**Hazardous Decomposition Products:** Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

The information contained herein is based on data available to us and is believed to be true and accurate. No warranty expressed or implied regarding the accuracy of this data, the hazards related to the use of the material or the results to be obtained from use thereof is made by Da Vinci Paint Co.

29726 Avenida de las Banderas Rancho Santa Margarita, California USA

Tele 949.459.7200 Fax 949.459.7800

www.DaVinciPaints.com dvp@DaVinciPaints.com