

MATERIAL SAFETY DATA SHEET

ENKAUSTIKOS! WAX ART SUPPLIES

Prepared by Environmental Medicine, Inc
FIRST EDITION 3.07.1997, REVISED 8.16.2017

MATERIAL/PRODUCT IDENTITY

Enkaustikos Wax Paints
Manuf./Code Number 97-238
ALL COLORS EXCEPT CADMIUM &
COBALT SEE COLOR LIST
Conforms to ASTM D-4236
FHSA and LHAMA

SECTION I

MANUFACTURER'S NAME AND LOCATION

Enkaustikos Wax Art Supplies
DBA Rochester Art Supply, Inc.
3 North Washington Street
Rochester, New York 14614
EMERGENCY TELEPHONE Not Required
TELEPHONE 1-716-263-6931
CONTACT Michael Lesczinski, President

SECTION II

INGREDIENT LISTING

Beeswax:

CAS No.	OSHA PEL	ACGIH TLV	STEL	
Mixture	N/L	N/L	N/L	Pr

Proprietary Wax Blend:

CAS No.	OSHA PEL	ACGIH TLV	STEL	
Mixture	N/L	N/L	N/L	Pr

Resin:

CAS No.	OSHA PEL	ACGIH TLV	STEL	
9000-16-2	N/L	N/L	N/L	Pr

Colorants:

CAS No.	OSHA PEL	ACGIH TLV	STEL	
Mixture	N/L	N/L	N/L	Pr

SECTION III

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212° F
Melting Point: 150° F
Vapor Pressure: Not Known
Evaporation Rate: Not Known
Odor: Wax-Like
Specific Gravity: Less than water
Vapor Density: Not Known
Water Solubility: Nil
Appearance: Colored Wax Solid

SECTION IV

FIRE AND EXPLOSION DATA

Flash Point: Not Known
Flash Point Method: Not Applicable
Lower Flammable Limit: Not Applicable
Upper Flammable Limit: Not Applicable
Extinguishing Medium: CO₂ and Foam
Specialized Firefighting Procedure:
Not Known
Unusual Fire and Explosion Data:
Not Known

SECTION V

REACTIVITY DATA

Stable: Yes
Conditions to Avoid: Excessive Heat
Incompatibility (Avoid): Unknown
Haz. Decomp.: No
Haz. Polym.: No

SECTION VI

HEALTH HAZARD DATA

Routes of Entry

Inhalation: Unlikely
Ingestion: Unlikely
Skin: Unlikely
Health Hazards: None

NTP Carcinogen: Not Listed
IARC Carcinogen: Not Listed
OSHA Carcinogen: Not Listed

Signs/Symptoms: None
Medical Conditions to Avoid:
None

First Aid: None

SECTION VII

PRECAUTIONS FOR SAFE HANDLING AND USE

Spill: None Known
Waste Disp.: None Known
Precautions: *Do not expose to direct flame. Do not exceed manufacturer's recommended temperature. Avoid contact with eyes. Wash hands after use.*
Other Precautions: None Known

SECTION VIII

CONTROL MEASURES

Respiratory Protection: Provide Ventilation
Local Exhaust: None
Special Local Exhaust: None
Mechanical Exhaust: None
Other Mechanical Exhaust: None
Protective Gloves: None
Eye Protection: None
Protective Clothing: None
Work Practices: Wash hands after handling.

LABEL STATEMENTS FOR ENKAUSTIKOS

ALL COLORS EXCEPT COBALT

Acute Toxicity: None
Chronic Toxicity: None
Certification Assurance: Conforms to ASTM D-4236

Children's Hazard Warning:
Not Intended for Use by Children

California Warning Statement for the
Ingredient: None
No Statement Required

COLOR LIST

Alizarin Crimson	Super Bronze Pearl
Anthraquinone Blue	Super Copper Pearl
Anthraquinone Orange	Super Gold Pearl
Antique Bronze Pearl	Super Russet Pearl
Antique Copper Pearl	Super Silver Pearl
Antique Gold Pearl	Titanium White
Antique Silver Pearl	Transparent Earth Red
Atmosphere	Ultramarine Blue
Bismuth Orange	Ultramarine Rose
Bismuth Yellow	Ultramarine Sky Blue
Bohemian Green Earth	Ultramarine Violet
Bohemian Orange	Vagone Green Earth
Bone Black	Viridian Green
Brilliant Yellow Pale	Warm Pearl
Burnt Sienna	Yellow Ochre
Burnt Umber	Zinc White
Caput Mortuum	
Cerulean Blue	
Chromium Oxide Green	
Citron Green	
Dioxazine Purple Light	
Dioxazine Purple	
French Ultramarine Light	
Golden Bronze Metallic	
Golden Brown	
Golden Buff Titanium	
Indian Yellow	
Interference Blue	
Interference Gold	
Interference Green	
Interference Red	
Interference Violet	
Italian Golden Ochre	
Jaune Brilliant	
Light Buff Titanium	
Mars Terracotta	
Mars Venetian Red	
Micaceous Iron Oxide	
Naphthol Red	
Naples Yellow Hue	
Naples Yellow Reddish	
Opal Aquamarine	
Opal Calypso Green	
Opal Rose	
Opal Sapphire Blue	
Opal Sun Yellow	
Opal Violet	
Perylene Maroon	
Phthalo Blue Green Shade	
Phthalo Blue Red Shade	
Phthalo Green Blue Shade	
Phthalo Green Yellow Shade	
Pompeii Red	
Prussian Blue	
Quinacridone Red	
Raw Sienna	
Raw Umber	
Red Earth Pale	
Savannah	
Sienna Pink	

ABBREVIATIONS:

N/L = Not Listed
PEL = Permissible Exposure Limit
TLV = ACGIH Threshold Limit Value
Pr. = Proprietary

The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intent or purpose. *No other warranty is given.*

(TLV Reg. TM, ACGIH)

MATERIAL SAFETY DATA SHEET

ENKAUSTIKOS! WAX ART SUPPLIES

Prepared by Environmental Medicine, Inc
FIRST EDITION 3.07.1997, REVISED 8/16/2017

MATERIAL/PRODUCT IDENTITY

Enkaustikos Wax Paints
Manuf./Code Number 97-238
ALL COBALT COLORS - SEE COLOR LIST
Conforms to ASTM D-4236
FHSA and LHAMA

SECTION I

MANUFACTURER'S NAME AND LOCATION

ENKAUSTIKOS! WAX ART SUPPLIES
DBA Rochester Art Supply, Inc.
3 North Washington Street
Rochester, New York 14614
EMERGENCY TELEPHONE Not Required
TELEPHONE 1-716-263-6931
CONTACT Michael Lesczinski, President

SECTION II

INGREDIENT LISTING

BEESWAX:

CAS No.	OSHA PEL	ACGIH TLV	STEL	Pr
Mixture	N/L	N/L	N/L	Pr

PROPRIETARY WAX BLEND:

CAS No.	OSHA PEL	ACGIH TLV	STEL	Pr
Mixture	N/L	N/L	N/L	Pr

RESIN:

CAS No.	OSHA PEL	ACGIH TLV	STEL	Pr
9000-16-2	N/L	N/L	N/L	Pr

COLORANTS:

CAS No.	OSHA PEL	ACGIH TLV	STEL	Pr
Mixture	N/L	N/L	N/L	Pr

SECTION III

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212° F
Melting Point: 150° F
Vapor Pressure: Not Known
Evaporation Rate: Not Known
Odor: Wax-Like
Specific Gravity: Less than water
Vapor Density: Not Known
Water Solubility: Nil
Appearance: Colored Wax Solid

SECTION IV

FIRE AND EXPLOSION DATA

Flash Point: Not Known
Flash Point Method: Not Applicable
Lower Flammable Limit: Not Applicable
Upper Flammable Limit: Not Applicable
Extinguishing Medium: CO₂ and Foam
Specialized Firefighting Procedure:
Not Known
Unusual Fire and Explosion Data:
Not Known

SECTION V

REACTIVITY DATA

Stable: Yes
Conditions to Avoid: Excessive Heat
Incompatibility (Avoid): Unknown
Haz. Decomp.: No
Haz. Polym.: No

SECTION VI

HEALTH HAZARD DATA

Routes of Entry

Inhalation: Unlikely
Ingestion: Unlikely
Skin: Unlikely
Health Hazards: None

NTP Carcinogen: Yes
IARC Carcinogen: Yes
OSHA Carcinogen: Yes

Signs/Symptoms: None
Medical Conditions to Avoid:
None

First Aid: None

SECTION VII

PRECAUTIONS FOR SAFE HANDLING AND USE

Spill: None Known
Waste Disp.: None Known
Precautions: Do not expose to direct flame. Do not exceed manufacturer's recommended temperature. Avoid contact with eyes. Wash hands after use.
Other Precautions: None Known

SECTION VIII

CONTROL MEASURES

Respiratory Protection: Provide Ventilation
Local Exhaust: None
Special Local Exhaust: None
Mechanical Exhaust: None
Other Mechanical Exhaust: None
Protective Gloves: None
Eye Protection: None
Protective Clothing: None
Work Practices: Wash hands after handling.

LABEL STATEMENTS FOR ENKAUSTIKOS

ALL COLORS EXCEPT COBALT

Acute Toxicity: None
Chronic Toxicity: None
Certification Assurance: Conforms to ASTM D-4236

Children's Hazard Warning:
Not Intended for Use by Children

California Warning Statement for the
Ingredient: Cobalt

Warning: This product contains a chemical known to the State of California to cause cancer.

COLOR LIST

Cobalt Aqua
Cobalt Blue Light
Cobalt Blue
Cobalt Green Light
Cobalt Green
Cobalt Teal Green
Cobalt Turquoise Blue
Cobalt Violet
MidTone Gray
Cobalt Aqua Deep

ABBREVIATIONS:

N/L = Not Listed
PEL = Permissible Exposure Limit
TLV = ACGIH Threshold Limit Value
Pr. = Proprietary

The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intent or purpose. No other warranty is given.

(TLV Reg. TM, ACGIH)

MATERIAL SAFETY DATA SHEET

ENKAUSTIKOS! WAX ART SUPPLIES

Prepared by Environmental Medicine, Inc
FIRST EDITION 3.07.1997, REVISED 8.16.2017

MATERIAL/PRODUCT IDENTITY

Enkaustikos Wax Paints
Manuf./Code Number 97-238
ALL CADMIUM COLORS - SEE COLOR LIST
Conforms to ASTM D-4236
FHSA and LHAMA

SECTION I

MANUFACTURER'S NAME AND LOCATION

ENKAUSTIKOS! WAX ART SUPPLIES
DBA Rochester Art Supply, Inc.
3 North Washington Street
Rochester, New York 14614
EMERGENCY TELEPHONE Not Required
TELEPHONE 1-716-263-6931
CONTACT Michael Lesczinski, President

SECTION II

INGREDIENT LISTING

BEESWAX:
CAS No. OSHA PEL ACGIH TLV STEL Pr
Mixture N/L N/L N/L Pr

PROPRIETARY WAX BLEND:
CAS No. OSHA PEL ACGIH TLV STEL Pr
Mixture N/L N/L N/L Pr

RESIN:
CAS No. OSHA PEL ACGIH TLV STEL Pr
9000-16-2 N/L N/L N/L Pr

COLORANTS:
CAS No. OSHA PEL ACGIH TLV STEL Pr
Mixture N/L N/L N/L Pr

SECTION III

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212° F
Melting Point: 150° F
Vapor Pressure: Not Known
Evaporation Rate: Not Known
Odor: Wax-Like
Specific Gravity: Less than water
Vapor Density: Not Known
Water Solubility: Nil
Appearance: Colored Wax Solid

SECTION IV

FIRE AND EXPLOSION DATA

Flash Point: Not Known
Flash Point Method: Not Applicable
Lower Flammable Limit: Not Applicable
Upper Flammable Limit: Not Applicable
Extinguishing Medium: CO₂ and Foam
Specialized Firefighting Procedure:
Not Known
Unusual Fire and Explosion Data:
Not Known

SECTION V

REACTIVITY DATA

Stable: Yes
Conditions to Avoid: Excessive Heat
Incompatibility (Avoid): Unknown
Haz. Decomp.: No
Haz. Polym.: No

SECTION VI

HEALTH HAZARD DATA Routes of Entry

Inhalation: Unlikely
Ingestion: Unlikely
Skin: Unlikely
Health Hazards: None

NTP Carcinogen: Yes
IARC Carcinogen: Yes
OSHA Carcinogen: Yes

Signs/Symptoms: None
Medical Conditions to Avoid:

None
First Aid: None

SECTION VII

PRECAUTIONS FOR SAFE HANDLING AND USE

Spill: None Known
Waste Disp.: None Known
Precautions: Do not expose to direct flame. Do not exceed manufacturer's recommended temperature. Avoid contact with eyes. Wash hands after use.
Other Precautions: None Known

SECTION VIII

CONTROL MEASURES

Respiratory Protection: Provide Ventilation
Local Exhaust: None
Special Local Exhaust: None
Mechanical Exhaust: None
Other Mechanical Exhaust: None
Protective Gloves: None
Eye Protection: None
Protective Clothing: None
Work Practices: Wash hands after handling.

LABEL STATEMENTS FOR ENKAUSTIKOS

ALL COLORS EXCEPT CADMIUM

Acute Toxicity: None
Chronic Toxicity: None
Certification Assurance: Conforms to ASTM D-4236

Children's Hazard Warning:
Not Intended for Use by Children

California Warning Statement for the
Ingredient: Cadmium

Warning: This product contains a chemical known to the State of California to cause cancer.

COLOR LIST

Cadmium Maroon
Cadmium Orange
Cadmium Red Deep
Cadmium Red Light
Cadmium Red Medium
Cadmium Red Vermillion
Cadmium Yellow Deep
Cadmium Yellow Light
Cadmium Yellow Medium

ABBREVIATIONS:

N/L = Not Listed
PEL = Permissible Exposure Limit
TLV = ACGIH Threshold Limit Value
Pr. = Proprietary

The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intent or purpose. No other warranty is given.

(TLV Reg. TM, ACGIH)