



EMERALD SCROLL BRACELET

SUPPLY LIST

HeatForm sheet: black
 Silver metal leaf
 Cosmic ring crystal: Bermuda Blue
 Emerald Chatons: Twenty 5mm; Four 6mm
 Dichroic glass pebble: 9mm blue/green
 Craft foam
 5-minute epoxy
 Gold spray paint
 Cuff bracelet form
 Scroll template (included at the end of this worksheet)
 Plastic measuring cups
 Wooden stir sticks
 Metal ruler with cork back (use double sided tape to adhere)
 Heatgun
 Scissors
 Silicone mat, Teflon sheet or other non-stick surface for working on

Step 1: Place some scraps of HeatForm on the non-stick surface and use the heatgun to soften them. Work them together with your fingers and form them into a log.



Step 2: Place the ruler on top of the log and roll it backwards and forwards with light pressure.



Step 3: Continue rolling until it becomes a long, thin noodle. Make several noodles.




Step 4: Cut the noodles into the following lengths:
 four pieces 2-5/8"
 four pieces 1-9/16"
 four pieces 2-3/4"
 two pieces 3-1/8"
 two pieces 1-7/8"
 two pieces 1-9/16"



Step 5: Use the template as a guide to form the noodles into scrolls. Once you have shaped all the pieces, heat them one at a time and attach them into a scroll shape using the template as a guide.



Step 6: Cut a 7" x 1-1/4" piece of foam. Cut two pieces of HeatForm 7-1/4" by 1-1/2".



Step 7: Heat the shiny side of one piece of HeatForm until it has softened.



Step 12: Trim away the excess with the scissors.




Step 8: Center the foam on the HeatForm and press down firmly.



Step 13: Heat half of the bracelet base and one of the scrolls.



Step 9: Heat the second piece of HeatForm and position the foam piece on top. Press the two pieces together firmly.



Step 14: Carefully lift the scroll onto the bracelet. Reshape if necessary and press into position. Repeat on the other half the bracelet.



Step 10: Seal the edges together with your fingers.



Step 15: Heat the bracelet base and wrap it around the bracelet form. Hold it in position until it cools.



Step 11: Whilst the HeatForm is still warm, slide the ruler back and forth along the seams to press them together firmly.





Step 16: Spray the bracelet with gold spray paint and leave to dry.



Step 17: Apply 5-minute epoxy to the inside of the scrolls and position a crystal in each one. Position the 6mm crystals in the last scroll on each end of the cuff and also at the point where the scrolls meet on the front of the cuff. Glue the cosmic ring and the dichroic glass pebble in the center of the bracelet.



Scroll Template



ENVIRONMENTAL
TECHNOLOGY, INC.