

Safety Data Sheet
required under OSHA's Hazard Communication Standard 29CFR
1910.1200

Printing date 03/21/2016

Reviewed on 03/21/2016

1 Identification

- **Trade name:** REMBRANDT SOFT PASTELS, all colors
- **Article number:** 3000.0000
- **Manufacturer/Supplier:**

- **Information department:** info.na@talens.com
- **Emergency telephone number:** For further health information call a poison control center.

2 Hazard(s) identification

- **Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous Substances Act:**
- **Hazard statements** No health labeling required

3 Composition/information on ingredients

- **Dangerous components:**
This product is not considered to be a hazardous chemical (or to contain hazardous chemicals) based on evaluations made by our company under the OSHA Hazardous Communication Standard, 29 C.F.R. section 1910.1200

4 First-aid measures

- **General information:** No special measures required.
- **After inhalation:** Not applicable.
- **After skin contact:** Clean with water and soap.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Not applicable
- **Special hazards arising from the substance or mixture** No further relevant information available.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Pick up mechanically.

7 Handling and storage

- **Precautions for safe handling:** No special measures required.

US

(Contd. on page 2)

Safety Data Sheet
required under OSHA's Hazard Communication Standard 29CFR
1910.1200

Printing date 03/21/2016

Reviewed on 03/21/2016

(Contd. of page 1)

8 Exposure controls/personal protection

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Eye protection:** Not required.

9 Physical and chemical properties

- **Appearance:**
 - Form:** Solid
 - Color:** According to product specification
- **Odor:** Odorless
- **pH-value:** Not applicable.
- **Change in condition**
 - Melting point/Melting range:** Not determined.
 - Boiling point/Boiling range:** Not determined.
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not determined.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Density:** Not determined.
- **Solubility in / Miscibility with**
 - Water:** Insoluble.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **Solids content:** 100.0 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

11 Toxicological information

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

US

(Contd. on page 3)

12 Ecological information

- **General notes:** Not known to be hazardous to water.

13 Disposal considerations

- **Recommendation:**
Must not be disposed together with household garbage. Disposal must be made according to official regulations. Do not allow product to reach sewage system.

14 Transport information

- **Transport hazard class(es)** None.
- **Packing group** None.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No health labeling required, in accordance with the US Labeling of Hazardous Art Materials Act (P.L. 100-695) / Federal Hazardous Substances Act.
In conformance with the Californian Safe Drinking Water and Toxic Enforcement Act (Proposition 65), the following labeling is applicable for colornumbers 100.5, 101.5, 201.7, 101.8, 202.7, 202.9, 202.12, 205.8, 205.9, 205.10, 227.10, 231.8, 231.10, 234.10, 236.7, 236.8, 236.9, 318.7, 318.8, 318.9, 331.7, 331.8, 331.9, 339.7, 339.10, 343.9, 347.7, 347.9, 370.9, 371.7, 371.8, 371.9, 372.8, 372.9, 372.10, 397.7, 397.9, 397.10, 409.8, 409.9, 409.10, 411.9, 411.10, 505.7, 505.9, 505.10, 522.8, 522.10, 536.9, 545.7, 545.8, 548.7, 548.8, 570.9, 620.7, 620.8, 620.10, 626.9, 626.10, 627.8, 627.10, 633.7, 633.7, 640.7, 675.8, 709.3, 709.5, 709.7, 709.8, 709.9, 709.10, 727.5, 727.9 and 727.10 :
WARNING: This product contains a chemical known to the state of California to cause cancer.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

16 Other information

All colors in this productline are qualified to bear the AP(approved product) Seal of the Art & Creative Materials Institute, Inc. This means that they are certified in a program of toxicological evaluation by medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. Certified by ACMI to be labeled in accordance with the chronic hazard labeling standard, ASTM D 4236 and Federal law, P.L. 100-695.

- This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 03/21/2016 / -
- **Abbreviations and acronyms:**
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit