

1. Identification of the Preparation and of The Company

Product Name and/or code: Tusc & Pine™ Oil Paint
Various Colors
40 ML & 150 ML

Issue Date: 23-Dec-23

Revision: 29-Jun-26

Manufacturer: MG Art Products, LLC
6022 Lois Lane
Archdale, NC 27263

Website Address: www.mgartproducts.com

Information Contact: Tel: 1-336-861-8584
info@mgartproducts.com

Emergency Response Service: ChemTel Inc.
1305 North Florida Avenue
Tampa, FL 33602 USA
813-248-0573
www.chemtelinc.com

Contact Number: MIS4299042

Within the United States, Canada,
Puerto Rico, and the U.S. Virgin Islands: 1-800-255-3924

Emergency Contact (Health) : For health emergencies call the Poison Control Center: 1-800-222-1222

Product Use: **ART MATERIAL - CONSUMER PRODUCT.** Artist oil paint. For application artist palette knife and paint brush. Not intended for spray application, sanding, or other operations which generate dust or airborne concentrations.

Restrictions on Use: None known

2. Hazards Identification
Classification of the substance or mixture
GHS US classification
GHS US Label elements, including precautionary statements
GHS US Labeling
GHS US Hazard Pictograms


GHS08



GHS07



GHS09

GHS Signal Word
Danger!
GHS Hazard Statements (GHS US): Cadmium Compounds:

Acute toxicity, Inhalation, Category 4 H330 Fatal if inhaled

Carcinogenicity, Category 1B H350 May cause cancer through inhalation

Germ Cell Mutagenicity, Category 2 H341 Suspected of causing genetic effects

Reproductive Toxicity, Category 2 H361 Suspected of damaging fertility or the unborn child

STOT RE, Category 1 H372 Causes damage to organs through prolonged or repeated

Colors Containing Hazardous Compounds

Aquatic H410 Very toxic to aquatic life with long lasting effects

GHS Precautionary Statements (GHS US)

GHS Hazard Statements (GHS US): **Cobalt Compounds:**

Acute toxicity, Oral, Category 4 H302 Harmful if swallowed
 Carcinogenicity, Category 1B H350 May cause cancer through inhalation.
 Skin Sensititation, Category 1B H317 May cause an allergic skin reaction.
 Reproductive Toxicity, Category 2 H361 Suspected of damaging fertility or the unborn child
 Aquatic Chronic, Category 4 H413 May cause long lasting harmful effects to aquatic life

GHS Precautionary Statements (GHS US)

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P391 Collect spillage. Storage: P403+ P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Not applicable to this mixture

Art Material - Consumer Product Label (LHAMA US)

Label Elements (LHAMA US) *Conforms to ASTM D-4236*

Children's Statement (LHAMA US) *KEEP OUT OF THE REACH OF CHILDREN.*

Hazard Statement (LHAMA US) *Colors containing Cadmium and Cadmium compounds (**Pigment mixture**):* Cancer hazard. Dried film of this paint may be harmful if eaten or chewed. Harmful or fatal if ingested.

*Colors containing Cobalt and Cobalt compounds (**Pigment mixture**):* Cancer hazard. Dried film of this paint maybe harmful if eaten or chewed. Harmful if ingested.

Precaution Statement (LHAMA US) *Do not ingest. Do not expose to direct flame. Handle with care. Avoid eye and skin contact. Wash thoroughly after handling. Do not eat or smoke while using this product. Wear gloves. Use with adequate ventilation.*

NFPA Health: 3 - Cadmium 2 - Cobalt
 Flammability: 0

HMIS

Reactivity : 0

Health : 2

Flammability: 0

Physical Hazard: 0

3.Composition/Information on Ingredients:

Substances:

Mixture of the following chemicals:

Proprietary Ingredients (Mixture) < 95%

Proprietary Pigment (Mixture) < 70%

Proprietary Cobalt Pigment (Mixture) < 70%

Proprietary Cadmium Pigment (Mixture) < 19 %

Proprietary ingredients (Mixture) present at less than 95% and 70% are non-hazardous, thus no classification is required.

4. First Aid Measures

Inhalation

If affected, remove to fresh air. If symptoms persists, contact a physician. May cause an allergic or asthma symptoms or breathing difficulties if inhaled, if symptoms persist, contact a physician.

Skin Contact

Wash the affected area thoroughly with plenty of soap and water. May cause an allergic reaction, if symptoms persist, contact a physician.

Eye Contact

Carefully flush with water for 15 minutes, lifting the upper and lower lids until no evidence of product remains. If irritation occurs, contact a physician.

Ingestion

Do not induce vomiting. Contact a physician immediately. Rinse mouth with water. Ingested cadmium or nickel may lead to spontaneous vomiting.

5. Firefighting Measures

Extinguishing Media

Water, foam, carbon dioxide or dry chemical equipment.

Fire/Explosion Hazards

This product is not known to present any fire hazard.

Flashpoint/Flammability

Not Flammable.

6. Accidental Release Measures

Methods and Materials for Containment and Cleaning up

Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

Safe Handling

Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. **Keep container upright to prevent leakage.**

Environmental precautions

No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage.

Storage

Keep the product in a cool dry ventilated area. Keep away from fire and heating sources. Store between 50-100 deg. F., ideally 70 deg.F.

8. Exposure Controls/Personal Protection
Personal Protective Equipment

Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.

Exposure Limits

Substance	OSHA PEL	NIOSH REL	ACGHI TLV
	8 hr TWA	Up to 10-hour TWA	8-hour TWA
	(ST) STEL (c)Ceiling		
Cadmium Dust	0.2 mg/m ³ ; 0.6 mg/m ³ (Acceptable Ceiling)	*IDHL : None established; NIOSH considers cadmium compounds to be potential occupational carcinogens as defined by the OSHA carcinogen policy [29 CFR 1990].	Refer to Cadmium
Cadmium Fume	0.1 mg/m ³ ; 0.3 mg/m ³ (Acceptable Ceiling)		
Cadmium compounds	0.005 mg/m ³		0.01mg/m ³ (total) 0.002 mg/m ³ (resp)
Cobalt Metal Dust and Fume	0.02 mg/m ³	0.05 mg/m ³	0.02 mg/m ³ (IHL)

Respiratory and Ventilation

Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection

Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection

Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

Appearance	Oil Paint - Paste
Physical State	Thick liquid
Color	Various
Odor	Not determined
Odor Threshold	Not determined
Boiling Point	Not determined
Freezing Point	Not determined
State (pH)	Not Applicable
Specific Gravity	Not determined
Viscosity	Paste
Flashpoint	Not flammable
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Solubility in water	Miscible

10. Stability and Reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Avoid creating or accumulating dusts. Keep away from direct sunlight. Avoid high temperatures.
Incompatible materials	Strong oxidizing agents; acids.
Hazardous Decomposition Products	May give off toxic fumes in case of fire, including lead fumes. Decomposition products depend on conditions.

11. Toxicological Information

Analytical Studies have not been performed on this particular mixture (all colors). The information below is based on data and toxicological review on the individual hazardous ingredients, proprietary ingredients and mode of application.

When used and handled according to specifications, the product does not have any harmful effects.

Health Effects	Dried film of this paint may be harmful if eaten or chewed.
----------------	---

Acute Toxicity - The toxicity values listed below are based on published literature values for the pure components.

Acute Toxicity	None known for this mixture. Cadmium - Oral: LD50 (Rat): 225 mg/kg LD50 (Mouse): 890 mg/kg Cadmium - Dermal: Not Available Cadmium - Inhalation: LC50 (Rat): 25 mg/kg - 30 mins Cobalt - Oral: LD50 (Rat): 6,170 mg/kg Cobalt - Dermal: Not Available Cobalt - Inhalation: LC50 (Rat): 10 mg/kg - 1 hour
Eye Effects	This product is not considered as being an eye irritant. Direct contact with eye may cause mild eye irritation. This product is not a primary skin irritant. <i>Pigment mixture compounds: May cause irritation or redness.</i>
Skin Effects	Direct contact with skin may result in little or no irritation. Prolonged contact with skin may cause an allergic reaction. This product is not a primary skin irritant. <i>Pigment mixture compounds: Prolonged contact may cause irritation or redness.</i>
Inhalation	May cause mild respiratory irritation at higher temperatures. <i>Pigment mixture compounds: Overexposure or prolonged exposure may be harmful.</i>
Sensitization	Not likely to occur.
Ingestion	Harmful if swallowed. May cause irritation of mouth, throat, and stomach. May result in nausea and vomiting.
Chronic Effects	When used and handled according to specifications, the product does not have any harmful effects. None known or reported by the manufacturer.

Cadmium compounds
NTP

Known to be human carcinogen

IARC

Group 1: Carcinogenic to humans

ACGIH
OSHA

A2: Suspected human carcinogen

Listed

Cobalt compounds
NTP

Reasonably anticipated to be a human carcinogen

IARC

Group 2B: Possible carcinogenic to humans

ACGIH

A3: Confirmed animal carcinogen

OSHA

Listed

12. Ecological Information

Toxicity:

Paint mixture is not expected to be harmful to the environment. No product should be released to the environment. It is not expected to have significant environmental effects. No significant effects on aquatic organisms are expected.

Aquatic toxicity

No information available for this mixture.

Persistence and degradability

No information available for this mixture.

Bioaccumulate potential

No information available for this mixture.

Mobility in soil

No information available for this mixture.

Persistent, Bioaccumulate and Toxic

No information available for this mixture.

Very Persistent and Very Bioaccumulate
(vPvB)

No information available for this mixture.

Additional ecological information

As a general rule, no product should be released to the environment. The product should not be allowed to enter drains, water courses, or be deposited where it can affect ground or surface water.

When used and handled according to specifications, the product does not have any harmful effects according to past experience and the information provided.

13. Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer waste. Outside North America, all relevant national and local legislation must be complied with.

14. Transport Information
Art Material - CONSUMER PRODUCT

Based on the generic category of some of the components listed in section 3, a hazardous categorization could be applied to this mixture. However, per the information supplied by the manufacturer, the component pigment mixtures used in these paints are not classifiable as dangerous goods under transport regulations.

DOT

This regulation does not apply to the non-bulk material.

IMDG

This regulation does not apply to the non-bulk material.

ICAO/IATA

This regulation does not apply to the non-bulk material.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA

Not applicable to this mixture.

Section 355 (extremely hazardous
substances)

Not applicable to this mixture.

Section 313 (specific toxic chemical listing) Not applicable to this mixture.

TSCA (Toxic Substance Control Act) All ingredients are listed.

California Proposition 65

⚠ WARNING: This product can expose you to chemicals including cadmium, cadmium compounds, CI pigment Red 108, trace heavy metals, polychlorinated biphenyl, ethylene oxide, which are known to the State of California to cause cancer, and which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Cobalt compounds present in these paints are not Prop 65 cobalt listed chemicals.

Carcinogenicity categories Refer to section 11

EPA (Environmental Protection Agency) Not applicable to this mixture.

TLV (Threshold Limit Value established by ACGIH) Not applicable to this mixture. Refer to section 8 for further information on individual substances of this mixture.

NIOSH (National Institute for Occupational Safety & Health) Not applicable to this mixture.

OSHA (Occupational Safety & Health Administration) Not applicable to this mixture.

MAK (German Maximum Workplace Concentration) Not applicable to this mixture.

16. Other Information

Reason for Issue: NEW SDS
Prepared by: ENVIRONMENTAL MEDICINE
778 Carver Avenue
Westwood, NJ 07675

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:

NFPA (SCALE 0-4) National Fire Protection Association (USA)

Health: 3 **Warning** - Corrosive or toxic. Avoid skin contact or inhalation.

Health: 2 **Warning** - May be harmful if inhaled or absorbed.

Fire: 0 No combustible.

Reactivity: 0 Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)

Colors Containing Hazardous Compounds

Health: 2

Fire: 0

Physical Hazard: 0

Moderate Hazard. Temporary or minor injury may occur.**Slight Hazard.** Materials that will not burn.**Minimal Hazard.** Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-explosives.**Exposure Limits**

TWA - Time Weighted Average (8 hr.)

STEL - Short Time Exposure Limit (15 min.)

REL - Recommended Exposure Limit

PEL - Permissible Exposure Limit

IDLH - Immediately Dangerous to Life or Health

ITEM NUMBER	PRODUCT COLOR	UPC CODE	GHS SDS
43901	Cadmium Yellow Lemon 1.35 fl oz (40 mL)	810075450972	<i>Cadmium Compound Prop 65</i>
53901	Cadmium Yellow Lemon 5 fl oz (150 mL)	810075451733	<i>Cadmium Compound Prop 65</i>
43904	Cadmium Yellow Light 1.35 fl oz (40 mL)	810075451009	<i>Cadmium Compound Prop 65</i>
53904	Cadmium Yellow Light 5 fl oz (150 mL)	810075451764	<i>Cadmium Compound Prop 65</i>
43902	Cadmium Yellow Medium 1.35 fl oz (40 mL)	810075450989	<i>Cadmium Compound Prop 65</i>
53902	Cadmium Yellow Medium 5 fl oz (150 mL)	810075451740	<i>Cadmium Compound Prop 65</i>
43903	Cadmium Yellow Deep 1.35 fl oz (40 mL)	810075450996	<i>Cadmium Compound Prop 65</i>
53903	Cadmium Yellow Deep 5 fl oz (150 mL)	810075451757	<i>Cadmium Compound Prop 65</i>
43801	Cadmium Orange 1.35 fl oz (40 mL)	810075450934	<i>Cadmium Compound Prop 65</i>
53801	Cadmium Orange 5 fl oz (150 mL)	810075451696	<i>Cadmium Compound Prop 65</i>
43707	Cadmium Red Light 1.35 fl oz (40 mL)	810075450842	<i>Cadmium Compound Prop 65</i>
53707	Cadmium Red light 5 fl oz (150 mL)	810075451603	<i>Cadmium Compound Prop 65</i>
43705	Cadmium Red Medium 1.35 fl oz (40 mL)	810075450828	<i>Cadmium Compound Prop 65</i>
53705	Cadmium Red Medium 5 fl oz (150 mL)	810075451580	<i>Cadmium Compound Prop 65</i>
43706	Cadmium Red Deep 1.35 fl oz (40 mL)	810075450835	<i>Cadmium Compound Prop 65</i>
53706	Cadmium Red Deep 5 fl oz (150 mL)	810075451597	<i>Cadmium Compound Prop 65</i>
43708	Cadmium Burgundy 1.35 fl oz (40 mL)	810075450859	<i>Cadmium Compound Prop 65</i>
53708	Cadmium Burgundy 5 fl oz (150 mL)	810075451610	<i>Cadmium Compound Prop 65</i>
43407	Wellington Vert Noir 1.35 fl oz (40 mL)	810075450606	<i>Cadmium Compound Prop 65</i>
53407	Wellington Vert Noir 5 fl oz (150 mL)	810075451368	<i>Cadmium Compound Prop 65</i>
53806	Luminous Orange (T&P 150 mL tube)	810075452525	<i>Cadmium Compound Prop 65</i>
43806	Luminous Orange (T&P 40 mL tube)	810075452402	<i>Cadmium Compound Prop 65</i>
43413	Wellington Vert Noir Deep 1.35 fl oz (40 mL)	810075452228	<i>Cadmium Compound & Additional Prop 65 Chemicals</i>
53413	Wellington Vert Noir Deep 5 fl oz (150 mL)	810075451214	<i>Cadmium Compound & Additional Prop 65 Chemicals</i>
43601	Cobalt Violet 1.35 fl oz (40 mL)	810075450750	<i>Cobalt</i>
53601	Cobalt Violet 5 fl oz (150 mL)	810075451511	<i>Cobalt</i>
43502	Cobalt Blue 1.35 fl oz (40 mL)	810075450668	<i>Cobalt</i>
53502	Cobalt Blue 5 fl oz (150 mL)	810075451429	<i>Cobalt</i>
43813	Apricot 1.35 fl oz (40 mL)	810075453362	<i>Cadmium Compound Prop 65</i>
43422	Kassan Green 1.35 fl oz (40 mL)	810075453294	<i>Cadmium Compound Prop 65</i>
43722	Whisper Rose 1.35 fl oz (40 mL)	810075453065	<i>Cadmium Compound Prop 65</i>
53813	Apricot 5 fl oz (150 mL)	810075453232	<i>Cadmium Compound Prop 65</i>
53422	Kassan Green 5 fl oz (150 mL)	810075453164	<i>Cadmium Compound Prop 65</i>
53722	Whisper Rose 5 fl oz (150 mL)	810075452969	<i>Cadmium Compound Prop 65</i>
43215	Omni Gray 1.35 fl oz (40 mL)	810075453409	<i>Cadmium Compound & Additional Prop 65 Chemicals</i>

TUSC & PINE
1. Identification of the Preparation and of The Company

Product Name and/or code:	Tusc & Pine™ Oil Paint Various Colors 40 ML & 150 ML
Issue Date:	23-Dec-23
Revision	29-Jun-26
Manufacturer:	MG Art Products, LLC 6022 Lois Lane Archdale, NC 27263
Website Address	www.mgartproducts.com
Information Contact:	Tel: 1-336-861-8584 info@mgartproducts.com
Emergency Response Service:	ChemTel Inc. 1305 North Florida Avenue Tampa, FL 33602 USA 813-248-0573 www.chemtelinc.com
Contact Number:	MIS4299042
Within the United States, Canada, Puerto Rico, and the U.S. Virgin Islands:	1-800-255-3924
Emergency Contact (Health) :	For health emergencies call the Poison Control Center: 1-800-222-1222
Recommended Use:	ART MATERIAL - CONSUMER PRODUCT. Artist oil paint. For application artist palette knife and paint brush. Not intended for spray application, sanding, or other operations which generate dust or airborne concentrations.
Retrictions on Use:	None known

2. Hazards Identification
Classification of the substance or mixture
GHS US classification

Not applicable to this mixture

GHS US Label elements, including precautionary statements
GHS US Labeling

GHS US Hazard Pictograms	Not applicable to this mixture
GHS Signal Word (GHS US)	Not applicable to this mixture
GHS Hazard Statements (GHS US)	Not applicable to this mixture. <i>The final product does not pose a risk to the consumer, thus no specific hazard classification is required.</i>

GHS Precautionary Statements (GHS US)	Not applicable to this mixture
---------------------------------------	--------------------------------

Other hazards which do not result in classification

Not applicable to this mixture

Label Elements(LHAMA US)	Conforms to ASTM D-4236
Children's Statement (LHAMA US)	KEEP OUT OF THE REACH OF CHILDREN.

TUSC & PINE
NFPA

Health: 0
 Flammability: 0
 Reactivity : 0

HMIS

Health : 0
 Flammability: 0
 Physical Hazard: 0

This product should not be used for any other purpose than the intended use.

3.Composition/Information on Ingredients:
Substances:

Mixture of the following chemicals: Proprietary Ingredients (Mixture) < 95%
 Proprietary Pigment (Mixture) < 70%

Proprietary ingredients (Mixture) present at less than 95% and 70% are non-hazardous, thus no classification is required.

4. First Aid Measures

Inhalation	If affected, remove to fresh air.
Skin Contact	Wash the affected area thoroughly with plenty of soap and water.
Eye Contact	Carefully flush with water for 15 minutes. If irritation occurs, contact a physician.
Ingestion	Do not induce vomiting. Contact a physician immediately.

5. Firefighting Measures

Extinguishing Media	Foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards	This product is not known to present any fire hazard.
Flashpoint/Flammability	Not flammable.

6. Accidental Release Measures

Methods and Materials for Containment and Cleaning up	Spills may produce slippery conditions. Contain spill. Recover as much as possible. Absorb remainder with vermiculite or other inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water. To avoid spontaneous combustion during temporary storage, soak soiled rags and waste immediately after use in a water-filled, closed metal container.
---	---

7. Handling and Storage

Safe Handling	Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.
Environmental precautions	No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage.

TUSC & PINE

Storage Store between 50-100 deg. F., ideally 70 deg. F. Avoid fire, flames and strong oxidizers.

8. Exposure Controls/Personal Protection

Personal Protective Equipment	Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.
Exposure Limits (USA)	None known for this mixture.
Respiratory and Ventilation	Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.
Skin Protection	Wear water resistant impervious gloves if handling bulk amounts.
Eye Protection	Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

Appearance	Paste
Physical State	Thick liquid
Color	Various
Odor	Not determined
Odor Threshold	Not determined
Boiling Point	Not determined
Freezing Point	Not determined
State (pH)	Not Applicable
Specific Gravity	Not determined
Viscosity	Paste
Flashpoint	Not flammable
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Solubility in water	Miscible

10. Stability and Reactivity

Reactivity:	No dangerous reaction known under conditions of normal use. Spontaneous combustion can occur in oil soaked rags and other materials containing oil and exposed to air.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	None known.
Incompatible materials	None known.
Hazardous Decomposition Products	No dangerous decomposition products known. Decomposition products depend on conditions.

11. Toxicological Information

Studies have not been performed on this particular mixture (all colors). The information below is based on data on the individual hazardous ingredient.

TUSC & PINE

When used and handled according to specifications, the product is not expected to have any harmful effects.

Health Effects	None known for the usual and ordinary uses of this product.
Acute Toxicity	None known for this product.
Eye Effects	None known for this product.
Skin Effects	None known for this product.
Inhalation	None known for this product.
Sensitization	None known for this product.
Ingestion	None known for this product.
Chronic Effects	None known for the usual and ordinary uses of this product.
<u>Additional toxicological information:</u>	When used and handled according to specifications, the product is not expected to have any harmful effects according to past experience and the information provided.
<u>NTP</u>	Not applicable to product.
<u>IARC</u>	Not applicable to product.
<u>ACGIH</u>	Not applicable to product.
<u>OSHA</u>	Not applicable to product.

12. Ecological Information

Toxicity:	Not expected to be harmful to the environment. No product should be released to the environment. It is not expected to have significant environmental effects. No significant effects on aquatic organisms are expected.
Aquatic toxicity	No information available.
Persistence and degradability	No information available.
Bioaccumulate potential	No information available.
Mobility in soil	No information available.
Additional ecological information	As a general rule, no product should be released to the environment. The product should not be allowed to enter drains, water courses, or be deposited where it can affect ground or surface water.

13. Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations. Handle with care.

14. Transport Information

This product is not hazardous for shipping via any mode.

Art Material - CONSUMER PRODUCT

DOT	This regulation does not apply to the non-bulk material.
IMDG	This regulation does not apply to the non-bulk material.
ICAO/IATA	This regulation does not apply to the non-bulk material.

TUSC & PINE

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA Not applicable to this mixture.

Section 313 (specific toxic chemical listing) Not applicable to this mixture.

TSCA (Toxic Substance Control Act) All ingredients are listed.

California Proposition 65 (Colors containing Prop 65)

⚠ WARNING: This product can expose you to chemicals including trace heavy metals, 1,4 dioxane, 3,3-dichlorobenzidine, diethanolamine, ethylene oxide, polychlorinated biphenyl, hexachlorobenzene, naphthalene, antimony oxide, formaldehyde which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

⚠ WARNING: This product can expose you to chemicals including trace heavy metals, ethylene oxide, polychlorinated biphenyl, hexachlorobenzene, trace methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 (Colors not containing Prop 65)

As of December 23, 2023, this product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at concentrations which would require a warning under the statute.

Carcinogenicity categories Not applicable to this mixture.

EPA (Environmental Protection Agency) Not applicable to this mixture.

TLV (Threshold Limit Value established by ACGIH) Not applicable to this mixture.

NIOSH (National Institute for Occupational Safety & Health) Not applicable to this mixture.

OSHA (Occupational Safety & Health Administration) Not applicable to this mixture.

16. Other Information

Prepared by: Environmental Medicine
778 Carver Avenue
Westwood, NJ 07675
info@envmed.com

TUSC & PINE

201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:

NFPA (SCALE 0-4) National Fire Protection Association (USA)

Health: 0	No unusual hazard.
Fire: 0	No combustible.
Reactivity: 0	Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)

Health: 0	Minimal Hazard. No significant risk to health.
Fire: 0	Minimal Hazard. Materials that will not burn.
Physical Hazard: 0	Minimal Hazard. Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-explosives.

ITEM NUMBER	PRODUCT COLOR	UPC CODE	GHS SDS
43907	Raw Sienna 1.35 fl oz (40 mL)	810075451030	No prop 65 Classification
53907	Raw Sienna 5 fl oz (150 mL)	810075451795	No prop 65 Classification
43704	Burnt Sienna 1.35 fl oz (40 mL)	810075450811	No prop 65 Classification
53704	Burnt Sienna 5 fl oz (150 mL)	810075451573	No prop 65 Classification
43910	Yellow Ochre Light 1.35 fl oz (40 mL)	810075451061	No prop 65 Classification
53910	Yellow Ochre Light 5 fl oz (150 mL)	810075451825	No prop 65 Classification
43909	Yellow Ochre 1.35 fl oz (40 mL)	810075451054	No prop 65 Classification
53909	Yellow Ochre 5 fl oz (150 mL)	810075451818	No prop 65 Classification
43301	Burnt Umber Warm Oil Color 1.35 fl oz (40 mL)	810075450507	No prop 65 Classification
53301	Burnt Umber Warm Oil Color 5 fl oz (150 mL)	810075451269	No prop 65 Classification
43908	Transparent Yellow Oxide 1.35 fl oz (40 mL)	810075451047	No prop 65 Classification
53908	Transparent Yellow Oxide 5 fl oz (150 mL)	810075451801	No prop 65 Classification
43715	Transparent Red Oxide 1.35 fl oz (40 mL)	810075450927	No prop 65 Classification
53715	Transparent Red Oxide 5 fl oz (150 mL)	810075451689	No prop 65 Classification
43803	Transparent Orange Oxide 1.35 fl oz (40 mL)	810075450958	No prop 65 Classification
53803	Transparent Orange Oxide 5 fl oz (150 mL)	810075451719	No prop 65 Classification
43712	Alizarin Crimson Pastiche 1.35 fl oz (40 mL)	810075450897	No prop 65 Classification
53712	Alizarin Crimson Pastiche 5 fl oz (150 mL)	810075451658	No prop 65 Classification
43711	Magenta 1.35 fl oz (40 mL)	810075450880	No prop 65 Classification
53711	Magenta 5 fl oz (150 mL)	810075451641	No prop 65 Classification
43701	Alizarin Crimson 1.35 fl oz (40 mL)	810075450781	No prop 65 Classification
53701	Alizarin Crimson 5 fl oz (150 mL)	810075451542	No prop 65 Classification
43603	Ultramarine Violet 1.35 fl oz (40 mL)	810075450774	No prop 65 Classification
53603	Ultramarine Violet 5 fl oz (150 mL)	810075451535	No prop 65 Classification
43602	Dioxazine Purple 1.35 fl oz (40 mL)	810075450767	No prop 65 Classification
53602	Dioxazine Purple 5 fl oz (150 mL)	810075451528	No prop 65 Classification
43509	Indanthrone Blue 1.35 fl oz (40 mL)	810075450736	No prop 65 Classification
53509	Indanthrone Blue 5 fl oz (150 mL)	810075451498	No prop 65 Classification
43508	Ultramarine Blue 1.35 fl oz (40 mL)	810075450729	No prop 65 Classification
53508	Ultramarine Blue 5 fl oz (150 mL)	810075451481	No prop 65 Classification
43507	Prussian Blue 1.35 fl oz (40 mL)	810075450712	No prop 65 Classification
53508	Prussian Blue 5 fl oz (150 mL)	810075451474	No prop 65 Classification
43404	Green Gold 1.35 fl oz (40 mL)	810075450576	No prop 65 Classification
53404	Green Gold 5 fl oz (150 mL)	810075451337	No prop 65 Classification
43402	Chromium Oxide Green 1.35 fl oz (40 mL)	810075450552	No prop 65 Classification
53402	Chromium Oxide Green 5 fl oz (150 mL)	810075451313	No prop 65 Classification
43304	Appalachia Brown Oxide 1.35 fl oz (40 mL)	810075450538	No prop 65 Classification
53304	Appalachia Brown Oxide 5 fl oz (150 mL)	810075451290	No prop 65 Classification
43303	Van Dyke Brown 1.35 fl oz (40 mL)	810075450521	No prop 65 Classification
53303	Van Dyke Brown 5 fl oz (150 mL)	810075451283	No prop 65 Classification
43204	Mars Black 1.35 fl oz (40 mL)	810075450439	No prop 65 Classification
53204	Mars Black 5 fl oz (150 mL)	810075451191	No prop 65 Classification
43911	Mars Yellow 1.35 fl oz (40 mL)	810075451849	No prop 65 Classification
53911	Mars Yellow 5 fl oz (150 mL)	810075451832	No prop 65 Classification
43203	Ivory Black 1.35 fl oz (40 mL)	810075450422	No prop 65 Classification
53203	Ivory Black 5 fl oz (150 mL)	810075451184	No prop 65 Classification
43104	Zinc White 1.35 fl oz (40 mL)	810075450392	No prop 65 Classification
53104	Zinc White 5 fl oz (150 mL)	810075451153	No prop 65 Classification
43103	Titanium White (in Safflower) 1.35 fl oz (40 mL)	810075450385	No prop 65 Classification
53103	Titanium White (in Safflower) 5 fl oz (150 mL)	810075451146	No prop 65 Classification
43201	Lamp Black 1.35 fl oz (40 mL)	810075450408	No prop 65 Classification
53201	Lamp Black 5 fl oz (150 mL)	810075451160	No prop 65 Classification
43102	Unbleached Titanium White 1.35 fl oz (40 mL)	810075450378	No prop 65 Classification
53102	Unbleached Titanium White 5 fl oz (150 mL)	810075451139	No prop 65 Classification
43709	English Red 1.35 fl oz (40 mL)	810075450866	No prop 65 Classification
53709	English Red 5 fl oz (150 mL)	810075451627	No prop 65 Classification
43710	Mars Red 1.35 fl oz (40 mL)	810075450873	No prop 65 Classification
53710	Mars Red 5 fl oz (150 mL)	810075451634	No prop 65 Classification
43302	Raw Umber Cool 1.35 fl oz (40 mL)	810075450514	No prop 65 Classification
53302	Raw Umber Cool 5 fl oz (150 mL)	810075451276	No prop 65 Classification
43702	Brilliant Pink 1.35 fl oz (40 mL)	810075450798	No prop 65 Classification
53702	Brilliant Pink 5 fl oz (150 mL)	810075451559	No prop 65 Classification
43209	Neutral Gray 7 1.35 fl oz (40 mL)	810075450484	No prop 65 Classification
53209	Neutral Gray 7 5 fl oz (150 mL)	810075451245	No prop 65 Classification
43205	Payne's Grey 1.35 fl oz (40 mL)	810075450446	No prop 65 Classification

53205	Payne's Grey 5 fl oz (150 mL)	810075451207	No prop 65 Classification
43202	Nocturne Green 1.35 fl oz (40 mL)	810075450415	No prop 65 Classification
53202	Nocturne Green 5 fl oz (150 mL)	810075451177	No prop 65 Classification
43305	Raw Umber Warm 1.35 fl oz (40 mL)	810075451986	No prop 65 Classification
53305	Raw Umber Warm 5 fl oz (150 mL)	810075451979	No prop 65 Classification
43405	Olive Green 1.35 fl oz (40 mL)	810075450583	No prop 65 Classification
53405	Olive Green 5 fl oz (150 mL)	810075451344	No prop 65 Classification
43503	Indigo Pastiche 1.35 fl oz (40 mL)	810075450675	No prop 65 Classification
53503	Indigo Pastiche 5 fl oz (150 mL)	810075451436	No prop 65 Classification
43504	Kings Blue Deep 1.35 fl oz (40 mL)	810075450682	No prop 65 Classification
53504	Kings Blue Deep 5 fl oz (150 mL)	810075451443	No prop 65 Classification
43506	Phthalo Turquoise 1.35 fl oz (40 mL)	810075450705	No prop 65 Classification
53506	Phthalo Turquoise 5 fl oz (150 mL)	810075451467	No prop 65 Classification
43408	Phthalo Green 1.35 fl oz (40 mL)	810075450613	No prop 65 Classification
53408	Phthalo Green 5 fl oz (150 mL)	810075451375	No prop 65 Classification
43105	Warm White 1.35 fl oz (40 mL)	810075451917	No prop 65 Classification
53105	Warm White 5 fl oz (150 mL)	810075451924	No prop 65 Classification
43212	Nocturne Violet 1.35 fl oz (40 mL)	810075451955	No prop 65 Classification
53212	Nocturne Violet 5 fl oz (150 mL)	810075451962	No prop 65 Classification
43208	Neutral Gray 5 1.35 fl oz (40 mL)	810075450477	No prop 65 Classification
53208	Neutral Gray 5 5 fl oz (150 mL)	810075451238	No prop 65 Classification
43207	Neutral Gray 3 1.35 fl oz (40 mL)	810075450460	No prop 65 Classification
53207	Neutral Gray 3 5 fl oz (150 mL)	810075451221	No prop 65 Classification
43101	Titanium White (in Linseed) 1.35 fl oz (40 mL)	810075450361	No prop 65 Classification
53101	Titanium White (in Linseed) 5 fl oz (150 mL)	810075451122	No prop 65 Classification
43306	Burnt Umber Cool 1.35 fl oz (40 mL)	810075452235	No prop 65 Classification
53306	Burnt Umber Cool 5 fl oz (150 mL)	810075452181	No prop 65 Classification
43703	Brown Pink Granular 1.35 fl oz (40 mL)	810075450804	No prop 65 Classification
53703	Brown Pink Granular 5 fl oz (150 mL)	810075451566	No prop 65 Classification
43001	Silver Pearlescent 1.35 fl oz (40 mL)	810075450316	No prop 65 Classification
53001	Silver Pearlescent 5 fl oz (150 mL)	810075451078	No prop 65 Classification
43002	Gold Pearlescent 1.35 fl oz (40 mL)	810075450323	No prop 65 Classification
53002	Gold Pearlescent 5 fl oz (150 mL)	810075451085	No prop 65 Classification
43003	Nocturne Black Pearlescent 1.35 fl oz (40 mL)	810075450330	No prop 65 Classification
53003	Nocturne Black Pearlescent 5 fl oz (150 mL)	810075451092	No prop 65 Classification
43004	Copper Pearlescent 1.35 fl oz (40 mL)	810075450347	No prop 65 Classification
53004	Copper Pearlescent 5 fl oz (150 mL)	810075451108	No prop 65 Classification
43005	White Pearlescent 1.35 fl oz (40 mL)	810075450354	No prop 65 Classification
53005	White Pearlescent 5 fl oz (150 mL)	810075451115	No prop 65 Classification
43604	Amethyst 1.35 fl oz (40 mL)	810075450491	No prop 65 Classification
53604	Amethyst 5 fl oz (150 mL)	810075451252	No prop 65 Classification
43213	Warm Gray 1.35 fl oz (40 mL)	810075452228	No prop 65 Classification
53213	Warm Gray 5 fl oz (150 mL)	810075452174	No prop 65 Classification
43403	Cobalt Teal 1.35 fl oz (40 mL)	810075450569	No prop 65 Classification
53403	Cobalt Teal 5 fl oz (150 mL)	810075451320	No prop 65 Classification
43510	Cobalt Caribbean 1.35 fl oz (40 mL)	810075450743	No prop 65 Classification
53510	Cobalt Caribbean 5 fl oz (150 mL)	810075451504	No prop 65 Classification
43501	Cerulean Blue 1.35 fl oz (40 mL)	810075450651	No prop 65 Classification
53501	Cerulean Blue 5 fl oz (150 mL)	810075451412	No prop 65 Classification
43410	Viridian 1.35 fl oz (40 mL)	810075450637	No prop 65 Classification
53410	Viridian 5 fl oz (150 mL)	810075451399	No prop 65 Classification
53719	Luminous Magenta (T&P 150 mL tube)	810075452518	No prop 65 Classification
53514	Luminous Turquoise (T&P 150 mL tube)	810075452549	No prop 65 Classification
53605	Luminous Violet (T&P 150 mL tube)	810075452556	No prop 65 Classification
53807	Permanent Orange Medium (T&P 150 mL tube)	810075452570	No prop 65 Classification
53808	Permanent Orange Deep (T&P 150 mL tube)	810075452587	No prop 65 Classification
43719	Luminous Magenta (T&P 40 mL tube)	810075452396	No prop 65 Classification
43514	Luminous Turquoise (T&P 40 mL tube)	810075452426	No prop 65 Classification
43605	Luminous Violet (T&P 40 mL tube)	810075452433	No prop 65 Classification
43807	Permanent Orange Medium (T&P 40 mL tube)	810075452457	No prop 65 Classification
43808	Permanent Orange Deep (T&P 40 mL tube)	810075452464	No prop 65 Classification
43516	Grayed Blue (T&P 40 mL tube)	810075452754	No prop 65 Classification
43809	Grayed Coral (T&P 40 mL tube)	810075452761	No prop 65 Classification
43606	Grayed Lavender (T&P 40 mL tube)	810075452778	No prop 65 Classification
43100	Mixing White (T&P 40 mL tube)	810075452594	No prop 65 Classification
43607	Brilliant Purple (T&P 40 mL tube)	810075452877	No prop 65 Classification
43512	Kings Blue Light 1.35 fl oz (40 mL)	810075452242	No prop 65 Classification

53512	Kings Blue Light 5 fl oz (150 mL)	810075452198	<i>No prop 65 Classification</i>
53516	Grayed Blue (150 mL tube)	810075452624	<i>No prop 65 Classification</i>
53809	Grayed Coral (150 mL tube)	810075452631	<i>No prop 65 Classification</i>
53606	Grayed Lavender (150 mL tube)	810075452648	<i>No prop 65 Classification</i>
53100	Mixing White (150 mL tube)	810075452600	<i>No prop 65 Classification</i>
53607	Billiant Purple (150 mL tube)	810075452747	<i>No prop 65 Classification</i>
43519	Whisper Blue T&P 40 mL tube	810075453034	<i>No prop 65 Classification</i>
53519	Whisper Blue T&P 150 mL tube	810075452938	<i>No prop 65 Classification</i>
43520	Whisper Turquoise T&P 40 mL tube	810075453041	<i>No prop 65 Classification</i>
53520	Whisper Turquoise T&P 150 mL tube	810075452945	<i>No prop 65 Classification</i>
43608	Whisper Violet T&P 40 mL tube	810075453058	<i>No prop 65 Classification</i>
53608	Whisper Violet T&P 150 mL tube	810075452952	<i>No prop 65 Classification</i>
43722	Whisper Rose T&P 40 mL tube	810075453065	<i>No prop 65 Classification</i>
53722	Whisper Rose T&P 150 mL tube	810075452969	<i>No prop 65 Classification</i>
43412	Cobalt Green 1.35 fl oz (40 mL)	810075452303	<i>Carries a Prop 65 Classification</i>
53412	Cobalt Green 5 fl oz (150 mL)	810075452297	<i>Carries a Prop 65 Classification</i>
43714	Quinacridone Red Deep 1.35 fl oz (40 mL)	810075450910	<i>Carries a Prop 65 Classification</i>
53714	Quinacridone Red Deep 5 fl oz (150 mL)	810075451672	<i>Carries a Prop 65 Classification</i>
43713	Quinacridone Red 1.35 fl oz (40 mL)	810075450903	<i>Carries a Prop 65 Classification</i>
53713	Quinacridone Red 5 fl oz (150 mL)	810075451665	<i>Carries a Prop 65 Classification</i>
43505	Phthalo Blue 1.35 fl oz (40 mL)	810075450699	<i>Carries a Prop 65 Classification</i>
53505	Phthalo Blue 5 fl oz (150 mL)	810075451450	<i>Carries a Prop 65 Classification</i>
43401	Cinnabar Green Light 1.35 fl oz (40 mL)	810075450545	<i>Carries a Prop 65 Classification</i>
53401	Cinnabar Green Light 5 fl oz (150 mL)	810075451306	<i>Carries a Prop 65 Classification</i>
43411	Emerald Phthalo Green 1.35 fl oz (40 mL)	810075450644	<i>Carries a Prop 65 Classification</i>
53411	Emerald Phthalo Green 5 fl oz (150 mL)	810075451405	<i>Carries a Prop 65 Classification</i>
43905	Indian Yellow Pastiche 1.35 fl oz (40 mL)	810075451016	<i>Carries a Prop 65 Classification</i>
53905	Indian Yellow Pastiche 5 fl oz (150 mL)	810075451771	<i>Carries a Prop 65 Classification</i>
43804	Alizarin Orange 1.35 fl oz (40 mL)	810075450965	<i>Carries a Prop 65 Classification</i>
53804	Alizarin Orange 5 fl oz (150 mL)	810075451726	<i>Carries a Prop 65 Classification</i>
43912	Permanent Yellow Light 1.35 fl oz (40 mL)	810075452068	<i>Carries a Prop 65 Classification</i>
53912	Permanent Yellow Light 5 fl oz (150 mL)	810075452051	<i>Carries a Prop 65 Classification</i>
43913	Permanent Yellow Medium 1.35 fl oz (40 mL)	810075452082	<i>Carries a Prop 65 Classification</i>
53913	Permanent Yellow Medium 5 fl oz (150 mL)	810075452075	<i>Carries a Prop 65 Classification</i>
43914	Permanent Yellow Deep 1.35 fl oz (40 mL)	810075452105	<i>Carries a Prop 65 Classification</i>
53914	Permanent Yellow Deep 5 fl oz (150 mL)	810075452099	<i>Carries a Prop 65 Classification</i>
43915	Yellow Citron 1.35 fl oz (40 mL)	810075452129	<i>Carries a Prop 65 Classification</i>
53915	Yellow Citron 5 fl oz (150 mL)	810075452112	<i>Carries a Prop 65 Classification</i>
43716	Permanent Red Light 1.35 fl oz (40 mL)	810075451993	<i>Carries a Prop 65 Classification</i>
53716	Permanent Red Light 5 fl oz (150 mL)	810075452006	<i>Carries a Prop 65 Classification</i>
43717	Permanent Red Medium 1.35 fl oz (40 mL)	810075452013	<i>Carries a Prop 65 Classification</i>
53717	Permanent Red Medium 5 fl oz (150 mL)	810075452020	<i>Carries a Prop 65 Classification</i>
43718	Permanent Red Deep 1.35 fl oz (40 mL)	810075452037	<i>Carries a Prop 65 Classification</i>
53718	Permanent Red Deep 5 fl oz (150 mL)	810075452044	<i>Carries a Prop 65 Classification</i>
43406	Permanent Green Light 1.35 fl oz (40 mL)	810075450590	<i>Carries a Prop 65 Classification</i>
53406	Permanent Green Light 5 fl oz (150 mL)	810075451351	<i>Carries a Prop 65 Classification</i>
43409	Sap Green 1.35 fl oz (40 mL)	810075450620	<i>Carries a Prop 65 Classification</i>
53409	Sap Green 5 fl oz (150 mL)	810075451382	<i>Carries a Prop 65 Classification</i>
43211	Nocturne Mauve 1.35 fl oz (40 mL)	810075451948	<i>Carries a Prop 65 Classification</i>
53211	Nocturne Mauve 5 fl oz (150 mL)	810075451931	<i>Carries a Prop 65 Classification</i>
43916	Bismuth Vanadate Yellow 1.35 fl oz (40 mL)	810075452167	<i>Carries a Prop 65 Classification</i>
53916	Bismuth Vanadate Yellow 5 fl oz (150 mL)	810075452150	<i>Carries a Prop 65 Classification</i>
43906	Naples Yellow Pastiche 1.35 fl oz (40 mL)	810075451023	<i>Carries a Prop 65 Classification</i>
53906	Naples Yellow Pastiche 5 fl oz (150 mL)	810075451788	<i>Carries a Prop 65 Classification</i>
43513	Cerulean Blue Pastiche 1.35 fl oz (40 mL)	810075452259	<i>Carries a Prop 65 Classification</i>
53513	Cerulean Blue Pastiche 5 fl oz (150 mL)	810075452204	<i>Carries a Prop 65 Classification</i>
43802	Gamboge Pastiche 1.35 fl oz (40 mL)	810075450941	<i>Carries a Prop 65 Classification</i>
53802	Gamboge Pastiche 5 fl oz (150 mL)	810075451702	<i>Carries a Prop 65 Classification</i>
43214	Nocturne Blue 1.35 fl oz (40 mL)	810075452273	<i>Carries a Prop 65 Classification</i>
53214	Nocturne Blue 5 fl oz (150 mL)	810075452280	<i>Carries a Prop 65 Classification</i>
43511	Manganese Blue Pastiche 1.35 fl oz (40 mL)	810075452143	<i>Carries a Prop 65 Classification</i>
53511	Manganese Blue Pastiche 5 fl oz (150 mL)	810075452136	<i>Carries a Prop 65 Classification</i>
53514	Luminous Blue (T&P 150 mL tube)	810075452471	<i>Carries a Prop 65 Classification</i>
53805	Luminous Coral (T&P 150 mL tube)	810075452488	<i>Carries a Prop 65 Classification</i>
53414	Luminous Green (T&P 150 mL tube)	810075452495	<i>Carries a Prop 65 Classification</i>
53917	Luminous Lemon (T&P 150 mL tube)	810075452501	<i>Carries a Prop 65 Classification</i>
53720	Luminous Red (T&P 150 mL tube)	810075452532	<i>Carries a Prop 65 Classification</i>

53918	Luminous Yellow (T&P 150 mL tube)	810075452563	Carries a Prop 65 Classification
43514	Luminous Blue (T&P 40 mL tube)	810075452358	Carries a Prop 65 Classification
43805	Luminous Coral (T&P 40 mL tube)	810075452365	Carries a Prop 65 Classification
43414	Luminous Green (T&P 40 mL tube)	810075452372	Carries a Prop 65 Classification
43917	Luminous Lemon (T&P 40 mL tube)	810075452389	Carries a Prop 65 Classification
43720	Luminous Red (T&P 40 mL tube)	810075452419	Carries a Prop 65 Classification
43918	Luminous Yellow (T&P 40 mL tube)	810075452440	Carries a Prop 65 Classification
43919	Grayed Yellow (T&P 40 mL tube)	810075452785	Carries a Prop 65 Classification
43810	Grayed Orange (T&P 40 mL tube)	810075452792	Carries a Prop 65 Classification
43721	Grayed Rose (T&P 40 mL tube)	810075452808	Carries a Prop 65 Classification
43920	Grayed Earth (T&P 40 mL tube)	810075452815	Carries a Prop 65 Classification
43416	Grayed Green (T&P 40 mL tube)	810075452839	Carries a Prop 65 Classification
43415	Grayed Emerald (T&P 40 mL tube)	810075452822	Carries a Prop 65 Classification
43517	Grayed Turquoise (T&P 40 mL tube)	810075452846	Carries a Prop 65 Classification
43518	Brilliant Blue (T&P 40 mL tube)	810075452853	Carries a Prop 65 Classification
43417	Brilliant Green (T&P 40 mL tube)	810075452860	Carries a Prop 65 Classification
53919	Grayed Yellow (150 mL tube)	810075452655	Carries a Prop 65 Classification
53810	Grayed Orange (150 mL tube)	810075452662	Carries a Prop 65 Classification
53721	Grayed Rose (150 mL tube)	810075452679	Carries a Prop 65 Classification
53920	Grayed Earth (150 mL tube)	810075452686	Carries a Prop 65 Classification
53416	Grayed Green (150 mL tube)	810075452709	Carries a Prop 65 Classification
53415	Grayed Emerald (150 mL tube)	810075452693	Carries a Prop 65 Classification
53517	Grayed Turquoise (150 mL tube)	810075452716	Carries a Prop 65 Classification
53518	Brilliant Blue (150 mL tube)	810075452723	Carries a Prop 65 Classification
53417	Brilliant Green (150 mL tube)	810075452730	Carries a Prop 65 Classification
43418	Whisper Green T&P 40 mL tube	810075453003	Carries a Prop 65 Classification
53418	Whisper Green T&P 150 mL tube	810075452907	Carries a Prop 65 Classification
43419	Whisper Viridian T&P 40 mL tube	810075453010	Carries a Prop 65 Classification
53419	Whisper Viridian T&P 150 mL tube	810075452914	Carries a Prop 65 Classification
43420	Whisper Chartreuse T&P 40 mL tube	810075453027	Carries a Prop 65 Classification
53420	Whisper Chartreuse T&P 150 mL tube	810075452921	Carries a Prop 65 Classification
43811	Whisper Orange T&P 40 mL tube	810075453072	Carries a Prop 65 Classification
53811	Whisper Orange T&P 150 mL tube	810075452976	Carries a Prop 65 Classification
43812	Whisper Gamboge T&P 40 mL tube	810075453089	Carries a Prop 65 Classification
53812	Whisper Gamboge T&P 150 mL tube	810075452983	Carries a Prop 65 Classification
43921	Whisper Yellow T&P 40 mL tube	810075453096	Carries a Prop 65 Classification
53921	Whisper Yellow T&P 150 mL tube	810075452990	Carries a Prop 65 Classification
43812	Brilliant Orange 40 mL tube	810075453270	Carries a Prop 65 Classification
43421	Celadon Green 40 mL tube	810075453287	No prop 65 Classification
43521	Granular Blue 40 mL tube	810075453300	No prop 65 Classification
43522	Granular Blue Umber 40 mL tube	810075453317	No prop 65 Classification
43423	Arline Green 40 mL tube	810075453324	Carries a Prop 65 Classification
43424	Deep Mint 40 mL tube	810075453331	Carries a Prop 65 Classification
43523	Lipking's Blue 40 mL tube	810075453348	No prop 65 Classification
43609	Mars Violet 40 mL tube	810075453355	No prop 65 Classification
43814	Salmon Deep 40 mL tube	810075453386	No prop 65 Classification
43723	Rose Pink 40 mL tube	810075453379	No prop 65 Classification
43425	Green Umber 40 mL tube	810075453393	Carries a Prop 65 Classification
53812	Brilliant Orange 150 mL tube	810075453140	Carries a Prop 65 Classification
53421	Celadon Green 150 mL tube	810075453157	No prop 65 Classification
53521	Granular Blue 150 mL tube	810075453171	No prop 65 Classification
53522	Granular Blue Umber 150 mL tube	810075453188	No prop 65 Classification
53423	Arline Green 150 mL tube	810075453195	Carries a Prop 65 Classification
53424	Deep Mint 150 mL tube	810075453201	Carries a Prop 65 Classification
53523	Lipking's Blue 150 mL tube	810075453218	No prop 65 Classification
53609	Mars Violet 150 mL tube	810075453225	No prop 65 Classification
53814	Salmon Deep 150 mL tube	810075453256	No prop 65 Classification
53723	Rose Pink 150 mL tube	810075453249	No prop 65 Classification
53425	Green Umber 150 mL tube	810075453263	Carries a Prop 65 Classification
43019	Fluorescent Yellow 40 mL tube	810075453584	Carries a Prop 65 Classification
43017	Fluorescent Yellow Orange 40 mL tube	810075453546	Carries a Prop 65 Classification
43018	Fluorescent Orange 40 mL tube	810075453560	Carries a Prop 65 Classification
43016	Fluorescent Red 40 mL tube	810075453522	Carries a Prop 65 Classification
43014	Fluorescent Pink 40 mL tube	810075453485	Carries a Prop 65 Classification
43015	Fluorescent Magenta 40 mL tube	810075453508	Carries a Prop 65 Classification
43013	Fluorescent Purple 40 mL tube	810075453461	Carries a Prop 65 Classification
43012	Fluorescent Blue 40 mL tube	810075452266	Carries a Prop 65 Classification

43011	Fluorescent Green 40 mL tube	810075450453	<i>Carries a Prop 65 Classification</i>
43010	Fluorescent White 40 mL tube	810075453416	<i>No prop 65 Classification</i>
53019	Fluorescent Yellow 150 mL tube	810075453577	<i>Carries a Prop 65 Classification</i>
53017	Fluorescent Yellow Orange 150 mL tube	810075453539	<i>Carries a Prop 65 Classification</i>
53018	Fluorescent Orange 150 mL tube	810075453553	<i>Carries a Prop 65 Classification</i>
53016	Fluorescent Red 150 mL tube	810075453515	<i>Carries a Prop 65 Classification</i>
53014	Fluorescent Pink 150 mL tube	810075453478	<i>Carries a Prop 65 Classification</i>
53015	Fluorescent Magenta 150 mL tube	810075453492	<i>Carries a Prop 65 Classification</i>
53013	Fluorescent Purple 150 mL tube	810075453454	<i>Carries a Prop 65 Classification</i>
53012	Fluorescent Blue 150 mL tube	810075453447	<i>Carries a Prop 65 Classification</i>
53011	Fluorescent Green 150 mL tube	810075453430	<i>Carries a Prop 65 Classification</i>
53010	Fluorescent White 150 mL tube	810075453423	<i>No prop 65 Classification</i>